### Iowa

**Summary of Demographic Indicators** Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	81,605
Total Records (All Visits)	137,886

Source of Data	Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other	81,605 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown: 0 0.0 %	81,605	100.0

Page:

Race/Ethnic I	Distributio	n		Number	%
White, Not Hispanic				50,587	62.5
Black, Not Hispanic				6,633	8.2
Hispanic				18,157	22.4
American Indian/Alask	a Native			325	0.4
Asian/Pacific Islander				1,191	1.5
Multiple Races				4,034	5.0
All Other				0	0.0
Total				80,927	100.0
Excluded Unknown:	678	8.0	%		

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	18,384 10,137 16,092 13,867 23,125	22.5 12.4 19.7 17.0 28.3
Total	81,605	100.0

% of Poverty Lev	el		Number	%
0-50			26,566	32.9
51-100			26,663	33.0
101-130			12,295	15.2
131-150			6,064	7.5
151-185			6,956	8.6
186-200			686	8.0
Over 200			1,513	1.9
Adjunctive Eligibilit	y		0	0.0
Total			80,743	100.0
Excluded Unknown:	862	1.1 %		

Program Participation	Number	%
WIC SNAP Medicaid TANF	81,605 81,526 81,526 81,526	30.6 71.2
Excluded Unknown:		
WIC SNAP Medicaid TANF	0 79 79 79	0.0

Migrant Sta	atus		Number	%
Yes			46	*
No			81,370	99.9
Total			81,416	100.0
Excluded Unknown	189	0.2 %		

- (1) Reporting period is January 1 through December 31.(2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- Records rejected if date of birth and date of visit unknown.



Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Summary of Health Indicators Children Aged < 5 Years (2)

S	Summary of Health Indicators (3)									
		lowa Prevalence		Natior Prevale (Prior Y	nce					
		Number	%	Number	%					
Birthweight (4) Low High	< 2500 g > 4000 g	18,130 18,130	8.2 8.1	1,909,620 1,909,620	9.0 6.4					
Height and Weight Short Stature (5)	< 5th < 10th	79,717 79,717	5.5 10.1	7,107,000 7,107,000	6.0 10.9					
Underweight (6)	< 5th < 10th	79,717 79,717	2.8 5.1	7,107,000 7,107,000	4.5 7.7					
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	79,717 36,225 36,225	14.1 17.5 15.0	7,107,000 2,943,996 2,943,996	14.1 16.5 14.8					
Anemia (7) Low Hb Low Hct Low Hb/Hct		55,859 283 56,001	8.0 12.0 8.0	4,543,993 572,674 4,916,523	15.2 11.2 14.9					
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Mor		18,629 14,871 12,648	55.9 18.1 11.3	1,719,083 848,761 1,038,203	62.0 26.9 19.1					
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	77,507 34,113	13.7 84.3	3,277,352 744,697	10.9 74.8					

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of B	Summary of Breastfeeding Indicators (3)									
	lowa Prevalence		Nationa Prevalen (Prior Ye	ice						
	Number	%	Number	%						
Breastfeeding Duration (4,5)										
Ever Breastfed	18,629	55.9	1,719,083	62.0						
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	17,570 15,567 14,128 13,175 11,945	52.1 48.4 44.6 41.2 35.8	1,438,863 1,130,089 926,949 809,718 685,195	58.6 55.9 53.1 50.3 44.3						
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	12,088 13,086 13,703 14,972 14,871	31.0 26.1 22.2 19.4 18.1	641,174 678,922 757,778 850,698 848,761	39.1 34.2 30.7 27.9 26.9						
Breastfed 9+ Months Breastfed 12+ Months	12,239 12,648	14.8 11.3	959,723 1,038,203	21.4 19.1						
Breastfed 18+ Months	9,441	6.9	785,855	10.6						
Exclusive Breastfeeding (6)										
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	12,801 14,415	10.3 6.2	144,421 206,416	12.9 7.2						

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

<sup>(5)</sup> It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 4C

### **2009 Pediatric Nutrition Surveillance** (1)

#### lowa

**Comparison of Racial and Ethnic Distribution by Contributor to Nation** Children Aged < 5 Years (2)

	Comparison of Racial and Ethnic Distribution										
Contributor	Number Included in	cluded in Hispanic		Hispanic	Hispanic American Indian/Alaska Native		Multiple Races	All Other / Unknown			
	Analysis (3)	%	%			%	%	%			
Iowa	81,605	62.0	8.1	22.2	0.4	1.5	4.9	0.8			
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7			



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 5 Run Date: 5 / 17 / 10

### Comparison of Age Distribution by Contributor to Nation Children Aged < 5 Years (2)

Comparison of Age Distribution									
Contributor  Number Included in Analysis (3,4)		0 - 11 Months %	12 - 23 Months %	24 - 59 Months %					
Iowa	81,605	35.0	19.7	45.3					
Nation (Prior Year)	8,164,612	35.8	23.0	41.3					



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 6 Run Date: 5 / 17 / 10

#### Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
		Birthweigh	t (4)		Height and Weight							
		Low	High		Short Stature (5)	Under- weight (6)		≥ 2 Yrs Over- weight (6)		Anemia Low Hb/Hct (7)		
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th- <95th	% >95th	Number	%
lowa	18,130	8.2	8.1	79,717	5.5	2.8	14.1	36,225	17.5	15.0	56,001	8.0
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,990	6 16.5	14.8	4,916,523	3 14.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children..

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation Children Aged < 5 Years (3)

Page: Run Date:

(2)

5 / 17 / 10

		Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%	
lowa	18,629	55.9	14,871	18.1	12,648	11.3	12,801	10.3	14,415	6.2	34,113	84.3	77,507	13.7	
Nation (Prior Year)	1,719,0	83 62.0	848,761	26.9	1,038,20	03 19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>(7)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 8 Run Date: 5 / 17 / 10

### Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Bii	thweight (4	<b>!</b> )			Hei	ght and W	/eight				
		Low %					Under- Obese weight (6) (6)		≥ 2 Yrs Overweight (6)		Anemia Low Hb/Hct	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% n <u>≥</u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	11,576	8.4	8.7	49,716	5.9	3.0	13.1	21,981	17.0	13.4	34,268	6.8
Black, Not Hispanic	1,409	12.3	4.2	6,440	5.2	3.8	11.8	3,065	15.5	11.0	4,599	18.3
Hispanic	3,467	6.0	8.7	17,684	4.5	1.9	18.1	8,765	19.3	20.3	13,302	7.3
American Indian/Alaska Native	70	*	*	313	5.8	0.6	18.2	139	33.1	17.3	218	4.6
Asian/Pacific Islander	272	6.3	2.9	1,166	7.5	3.8	9.8	517	13.2	10.8	807	10.4
Multiple Races	921	9.9	5.9	3,956	6.1	2.6	14.9	1,748	17.7	16.5	2,770	9.4
All Other	415	5.3	8.9	442	9.0	4.8	10.2	10	*	*	37	*
Total	18,130	8.2	8.1	79,717	5.5	2.8	14.1	36,225	17.5	15.0	56,001	8.0
Age												
0 - 11 Months	_	_	_	27,445	7.9	4.0	11.2	_	*	*	5,539	12.6
12 - 23 Months	-	-	_	16,047	5.8	1.8	17.2	_	*	*	17,569	9.4
24 - 35 Months	-	-	_	13,619	3.8	2.4	13.2	13,619	17.2	13.2	12,717	8.7
36 - 47 Months	-	-	-	11,870	3.7	2.3	15.7	11,870	17.2	15.7	11,515	5.9
48 - 59 Months	-	-	-	10,736	3.3	2.1	16.6	10,736	18.0	16.6	8,661	4.0
Total	-	_	-	79,717	5.5	2.8	14.1	36,225	17.5	15.0	56,001	8.0

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

(2)

n Date: 5 / 17 / 10

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age
Children Aged < 5 Years

(3)

Breastfeeding,	TV Viewin	g, and S	Smoking	in Hou	sehold by	Race/	Ethnicity	or Ag	<b>e</b> (4)	
			Breastfe (5)	<2 Hou TV/Vid Viewing/[	eo	Smokir House	•			
	Number B	% Ever reastfed		% eastfed At Least 6 Nonths		% eastfed At _east 12 lonths	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	11,714	53.7	9,651	16.2	7,897	9.9	20,954	86.7	48,363	16.5
Black, Not Hispanic	1,455	48.1	1,069	15.1	1,006	9.1	2,672	75.9	6,210	12.1
Hispanic	3,543	68.7	2,999	27.2	2,831	17.0	8,290	81.5	17,278	6.8
American Indian/Alaska Native	72	*	54	*	46	*	134	76.1	298	12.8
Asian/Pacific Islander	277	64.3	220	27.7	210	17.6	457	75.3	1,129	6.9
Multiple Races	937	50.4	729	9.6	646	5.0	1,598	84.5	3,808	15.1
All Other	631	47.2	149	13.4	12	*	8	*	421	11.2
Total	18,629	55.9	14,871	18.1	12,648	11.3	34,113	84.3	77,507	13.7
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	25,436	12.0
12 - 23 Months	-	-	-	-	-	-	0	*	15,717	13.8
24 - 35 Months	-	-	-	-	-	-	13,820	87.0	13,648	14.4
36 - 47 Months	-	-	-	-	-	-	10,764	82.7	11,950	14.9
48 - 59 Months	-	-	-	-	-	-	9,529	82.3	10,756	15.6
Total	18,629	55.9	14,871	18.1	12,648	11.3	34,113	84.3	77,507	13.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> Children aged 2 years and older included in the analysis

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 5 / 17 / 10

### **Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
2009	81,605	62.0	8.1	22.2	0.4	1.5	4.9	0.8					
2008	78,172	61.8	8.1	22.7	0.4	1.3	4.8	0.9					
2007	74,984	61.7	8.1	22.8	0.3	1.3	4.7	1.0					
2006	72,143	61.6	7.7	22.8	0.1	1.3	3.8	2.7					
2005	66,475	72.3	8.8	16.2	0.7	2.0	0.0	0.0					
2004	67,276	73.1	8.8	15.4	0.7	2.0	0.0	0.0					
2003	69,455	74.9	8.1	14.3	0.5	2.1	0.0	0.0					
2002	64,106	75.8	8.4	13.4	0.6	1.9	0.0	0.0					
2001	62,299	76.6	8.4	12.6	0.6	1.8	0.0	0.0					
2000	61,001	77.5	8.3	11.8	0.6	1.9	0.0	0.0					
1999	63,327	78.9	7.8	10.7	0.6	2.0	0.0	0.0					
1998	66,580	80.1	7.6	9.7	0.6	2.1	0.0	0.0					
1997	66,575	80.8	7.8	8.8	0.5	2.1	0.0	0.0					
1996	85,076	80.7	8.5	8.1	0.6	2.1	0.0	0.0					
1995	92,976	82.5	8.1	6.8	0.5	2.1	0.0	0.0					
1994	60,495	82.9	8.7	5.7	0.6	2.1	0.0	0.0					
1993	63,749	84.7	8.2	4.6	0.6	1.9	0.0	0.0					
1992	63,266	85.8	8.0	3.7	0.7	1.8	0.0	0.0					
1991	59,645	86.5	7.9	3.1	0.7	1.8	0.0	0.0					



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

Page: Run Date: 5 / 17 / 10

### **Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

		Sun	nmary of Trer	nds in Racial a	and Ethnic Dis	stribution		
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
1990	54,815	87.1	7.6	2.6	0.7	1.9	0.0	0.0
1989	52,533	87.4	7.6	2.3	0.7	1.9	0.0	0.0
1988	47,844	88.0	7.5	1.9	0.7	1.9	0.0	0.0
1987	44,271	88.3	7.3	1.9	0.6	1.9	0.0	0.0
1986	45,047	88.7	6.8	1.9	0.6	2.0	0.0	0.0
1985	42,644	88.9	6.8	1.8	0.6	2.0	0.0	0.0
1984	38,544	88.0	7.3	2.0	0.6	2.1	0.0	0.0
1983	39,397	87.9	7.0	2.1	0.6	2.4	0.0	0.0
1982	38,866	86.5	7.7	2.4	0.8	2.7	0.0	0.0
1981	11,322	83.4	9.7	2.6	1.0	3.3	0.0	0.0



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

### **Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)										
Year	Number Included in	0-11 Months	12-23 Months	24-59 Months						
	Analysis (4)	%	%	%						
2009	81,605	35.0	19.7	45.3						
2008	78,172	36.3	19.7	44.0						
2007	74,984	38.1	19.7	42.2						
2006	72,143	38.9	18.4	42.7						
2005	66,475	35.8	19.5	44.8						
2004	67,276	34.9	19.5	45.6						
2003	69,455	30.6	21.2	48.3						
2002	64,106	35.7	19.5	44.7						
2001	62,299	36.3	19.5	44.2						
2000	61,001	36.6	19.3	44.1						
1999	63,327	36.1	18.8	45.1						
1998	66,580	35.7	18.8	45.5						
1997	66,575	34.4	18.6	47.0						
1996	85,076	33.2	19.5	47.3						
1995	92,976	34.0	19.3	46.7						
1994	60,495	33.7	19.0	47.3						
1993	63,749	33.7	19.3	47.0						
1992	63,266	34.3	19.7	46.0						

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

Page:	13
Run Date:	5 / 17 / 10

	Summary of Trends in Age Distribution (3)										
Year	Number	0-11 Months	12-23 Months	24-59 Months							
	Included in Analysis (4)	%	%	%							
1991	59,645	35.5	19.8	44.7							
1990	54,815	35.2	19.5	45.3							
1989	52,533	34.7	18.9	46.4							
1988	47,844	34.0	19.5	46.5							
1987	44,271	35.0	21.3	43.7							
1986	45,047	35.7	21.6	42.7							
1985	42,644	34.9	20.3	44.8							
1984	38,544	35.6	21.3	43.1							
1983	39,397	34.6	19.4	46.0							
1982	38,866	31.9	19.5	48.6							
1981	11,322	29.6	21.5	48.9							



<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 14 Run Date: 5/17/2010

#### Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>2 Yrs Overweight (6)			(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
2009	18,130	8.2	8.1	79,717	5.5	2.8	14.1	36,225	17.5	15.0	56,001	8.0	
2008	18,189	8.5	7.9	76,257	5.6	2.8	14.5	33,548	17.5	15.1	52,672	8.1	
2007	18,272	8.1	8.1	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9	
2006	17,935	8.8	7.7	70,491	5.8	2.8	13.9	30,161	17.9	14.6	43,572	9.4	
2005	15,219	8.1	8.2	65,022	5.7	2.8	14.1	29,114	17.1	14.2	40,151	9.7	
2004	16,135	7.8	8.1	65,753	5.8	2.5	14.3	29,971	17.5	14.6	42,789	10.2	
2003	12,891	7.5	8.7	68,032	5.8	2.5	14.1	32,913	17.7	13.9	35,173	10.0	
2002	15,090	8.1	9.1	62,631	5.9	2.7	13.5	28,074	16.7	13.6	41,587	8.8	
2001	14,851	7.9	9.3	60,806	5.6	2.9	13.2	27,027	16.8	13.2	40,550	9.0	
2000	14,702	7.8	9.6	59,612	5.4	2.8	12.5	26,439	16.4	12.3	42,278	9.1	

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 5/17/2010

#### Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct (7)		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1999	14,806	7.4	9.8	61,904	5.2	3.0	11.9	27,970	15.8	11.6	45,234	8.9	
1998	15,481	7.8	10.4	64,959	5.1	3.1	11.2	29,788	15.9	10.6	48,222	10.0	
1997	15,192	7.5	9.9	55,311	5.3	3.4	11.4	26,195	15.8	10.7	48,067	10.2	
1996	17,424	7.4	10.1	78,634	5.4	3.3	11.3	37,980	15.6	10.4	60,871	11.0	
1995	19,987	7.3	9.8	91,046	5.2	3.0	10.7	42,824	15.0	9.6	65,710	11.6	
1994	13,146	7.1	10.1	59,813	5.3	2.7	11.2	28,419	15.0	9.4	46,044	6.5	
1993	13,824	7.5	10.2	63,098	5.4	2.6	11.0	29,792	14.9	9.1	49,301	5.0	
1992	14,041	7.3	10.7	62,644	5.1	2.8	10.2	28,948	14.9	8.3	48,367	4.8	
1991	13,958	7.3	10.3	59,052	5.1	3.2	9.1	26,461	13.8	7.5	45,718	5.4	
1990	12,582	7.1	10.8	54,311	5.2	3.2	9.3	24,584	14.9	8.2	41,942	5.1	

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 16 Run Date: 5/17/2010

#### Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	rthweight (	4)			Hei	ght and W	/eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)			(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1989	12,087	7.2	10.4	52,034	5.5	3.3	9.2	24,195	14.7	7.9	41,153	4.6	
1988	10,683	7.5	10.6	47,451	5.2	3.9	8.3	22,180	13.1	7.3	37,717	5.3	
1987	10,166	7.0	10.8	43,890	5.5	3.9	8.7	19,249	13.3	7.5	34,139	6.4	
1986	10,503	7.4	10.4	44,659	5.3	4.2	8.6	19,190	13.0	7.4	35,865	6.8	
1985	9,690	7.4	10.4	42,263	5.5	3.8	8.3	18,992	14.0	7.2	33,853	6.9	
1984	8,963	7.1	10.3	38,168	5.7	4.3	8.0	16,551	13.6	7.1	30,073	7.8	
1983	8,920	7.4	10.4	38,976	5.7	4.7	8.0	17,940	13.2	6.8	31,321	8.6	
1982	8,391	7.0	10.4	38,378	6.0	4.4	9.1	18,679	15.1	7.8	30,432	9.2	
1981	2,994	7.7	9.4	11,180	6.3	4.2	9.6	5,482	16.1	8.4	8,682	10.6	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Summary of Trends in Breastfeeding (3)													
		Breastfeeding (4)												
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months								
2009	18,629	55.9	14,871	18.1	12,648	11.3								
2008	18,572	61.2	14,633	20.0	12,273	11.7								
2007	18,609	59.1	14,444	20.1	11,541	11.0								
2006	0	*	0	*	0	*								
2005	15,252	57.7	9,856	23.8	8,682	16.5								
2004	16,169	56.7	10,496	24.1	9,680	16.5								
2003	12,913	56.3	7,144	25.3	7,450	17.7								
2002	15,117	55.7	9,640	23.2	8,927	16.8								
2001	14,888	55.0	10,103	22.2	8,891	16.2								
2000	14,721	52.9	10,198	21.1	8,467	14.4								

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 5/17/2010

17


<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	)
				etfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1999	14,848	51.5	10,175	21.0	8,492	15.1
1998	15,506	50.7	10,801	18.9	8,691	13.4
1997	15,212	47.8	10,797	18.9	8,904	13.2
1996	14,392	46.8	9,476	17.6	7,414	11.7
1995	7,695	48.0	4,212	18.4	2,453	10.6

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 5/17/2010

18

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

# Table 14C 2009 Pediatric Nutrition Surveillance lowa Children Aged < 5 Years

Page: 19 Run Date: 5 / 17 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



# Table 15C 2009 Pediatric Nutrition Surveillance lowa Children Aged < 5 Years

Page: 20 Run Date: 5 / 17 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Run Date: 5

Page:

5/17/2010

21

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	G	Frowth Inc	licators by F	Race/Ethn	icity and Aç	ge <sup>(3)</sup>			
	Short S		Underw (5)		Obeso (5)	e	<u>&gt;</u> :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th
White, Not Hispanic									
0 - 11 Months	17,726	8.1	17,726	4.3	17,726	11.0	0	0.0	0.0
12 - 23 Months	10,009	6.3	10,009	1.8	10,009	16.2	0	0.0	0.0
24 - 59 Months	21,981	3.9	21,981	2.3	21,981	13.4	21,981	17.0	13.4
Total	49,716	5.9	49,716	3.0	49,716	13.1	21,981	17.0	13.4
Black, Not Hispanic									
0 - 11 Months	2,058	10.3	2,058	4.3	2,058	9.7	0	0.0	0.0
12 - 23 Months	1,317	3.9	1,317	2.9	1,317	17.1	0	0.0	0.0
24 - 59 Months	3,065	2.3	3,065	3.9	3,065	11.0	3,065	15.5	11.0
Total	6,440	5.2	6,440	3.8	6,440	11.8	3,065	15.5	11.0
Hispanic									
0 - 11 Months	5,316	6.3	5,316	2.9	5,316	12.8	0	0.0	0.0
12 - 23 Months	3,603	5.0	3,603	1.1	3,603	20.3	0	0.0	0.0
24 - 59 Months	8,765	3.2	8,765	1.6	8,765	20.3	8,765	19.3	20.3
Total	17,684	4.5	17,684	1.9	17,684	18.1	8,765	19.3	20.3
American Indian/Alaska Native									
0 - 11 Months	126	7.9	126	1.6	126	15.1	0	0.0	0.0
12 - 23 Months	48	*	48	*	48	*	0	*	*
24 - 59 Months	139	2.2	139	0.0	139	17.3	139	33.1	17.3
Total	313	5.8	313	0.6	313	18.2	139	33.1	17.3



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 5/

5/17/2010

22

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	G	rowth Inc	licators by F	Race/Ethn	icity and A	ge <sup>(3)</sup>			
	Short S		Underw (5)		Obes (5)	ee	<u>&gt;</u> :	2 Yrs Overweight	
	Number	% <5th	Number	% <5th	Number	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th
Asian/Pacific Islander									
0 - 11 Months	411	4.1	411	4.4	411	6.8	0	0.0	0.0
12 - 23 Months	238	10.5	238	5.0	238	12.6	0	0.0	0.0
24 - 59 Months	517	8.9	517	2.7	517	10.8	517	13.2	10.8
Total	1,166	7.5	1,166	3.8	1,166	9.8	517	13.2	10.8
Multiple Races									
0 - 11 Months	1,385	10.3	1,385	3.9	1,385	11.8	0	0.0	0.0
12 - 23 Months	823	5.5	823	1.8	823	17.0	0	0.0	0.0
24 - 59 Months	1,748	3.0	1,748	1.8	1,748	16.5	1,748	17.7	16.5
Total	3,956	6.1	3,956	2.6	3,956	14.9	1,748	17.7	16.5
All Other/Unknown									
0 - 11 Months	423	8.7	423	5.0	423	9.9	0	0.0	0.0
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	442	9.0	442	4.8	442	10.2	10	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	27,445	7.9	27,445	4.0	27,445	11.2	0	0.0	0.0
12 - 23 Months	16,047	5.8	16,047	1.8	16,047	17.2	0	0.0	0.0
24 - 59 Months	36,225	3.6	36,225	2.3	36,225	15.0	36,225	17.5	15.0
Total	79,717	5.5	79,717	2.8	79,717	14.1	36,225	17.5	15.0

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 23 Run Date: 5 / 17 / 10

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	A!-		by Race/Ethnicity and Age (3,4)		
	Anemia	indicators	by Race/Ethnicity and Age (3, 4)		
		Anemia			Anemia
		Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3,607	11.4	6 - 11 Months	94	*
12 - 17 Months	6,997	8.2	12 - 17 Months	169	11.2
18 - 23 Months	3,887	6.9	18 - 23 Months	84	*
24 - 35 Months	7,839	7.1	24 - 35 Months	168	11.3
36 - 59 Months	11,938	4.2	36 - 59 Months	292	7.9
Total	34,268	6.8	Total	807	10.4
Black, Not Hispanic			Multiple Races		
6 - 11 Months	392	23.2	6 - 11 Months	270	15.9
12 - 17 Months	849	19.3	12 - 17 Months	557	11.5
18 - 23 Months	543	25.6	18 - 23 Months	339	12.7
24 - 35 Months	1,031	21.9	24 - 35 Months	631	8.6
36 - 59 Months	1,784	12.3	36 - 59 Months	973	5.7
Total	4,599	18.3	Total	2,770	9.4
Hispanic			All Other/Unknown		
6 - 11 Months	1,125	11.4	6 - 11 Months	22	*
12 - 17 Months	2,613	9.5	12 - 17 Months	6	*
18 - 23 Months	1,457	8.6	18 - 23 Months	2	*
24 - 35 Months	2,990	8.4	24 - 35 Months	3	*
36 - 59 Months	5,117	4.4	36 - 59 Months	4	*
Total	13,302	7.3	Total	37	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	29	*	6 - 11 Months	5,539	12.6
12 - 17 Months	46	*	12 - 17 Months	11,237	9.5
18 - 23 Months	20	*	18 - 23 Months	6,332	9.3
24 - 35 Months	55	*	24 - 35 Months	12,717	8.7
36 - 59 Months	68	*	36 - 59 Months	20,176	5.1
Total	218	4.6	Total	56,001	8.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 24 Run Date: 5 / 17 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ight and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		> 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th	Number	%
White, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	11,576 11,434 11,432 11,436 11,303 11,898 9,831 11,544 11,555 11,554	8.4 8.4 8.1 8.9 8.0 8.0 7.4 8.4 7.7	8.7 8.2 8.6 8.1 8.6 8.5 9.1 9.3 9.8	49,716 47,367 45,421 43,644 47,022 48,116 51,057 47,460 46,622 46,216	5.9 5.8 5.8 6.2 5.9 6.0 5.9 6.1 5.7	3.0 3.0 3.2 3.1 2.9 2.6 2.7 2.8 3.0 3.0	13.1 13.3 12.8 12.6 13.3 13.5 13.5 12.8 12.7 12.0	21,981 20,412 18,900 18,634 20,716 21,643 24,540 21,089 20,471 20,273	17.0 17.2 17.2 17.6 17.0 17.5 17.4 16.8 16.7 16.3	13.4 13.4 13.2 13.1 13.1 13.6 13.2 12.7 12.5 11.6	34,268 32,203 30,116 26,474 28,571 31,042 25,999 31,419 30,938 32,657	6.8 6.9 7.6 7.7 8.3 8.7 8.8 7.8
Black, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	1,409 1,386 1,438 1,317 1,297 1,489 1,037 1,233 1,191 1,144	12.3 11.5 11.8 11.2 12.0 10.4 10.6 9.4 13.0 11.7	4.2 4.0 4.8 4.2 4.3 4.7 5.0 6.3 5.4	6,440 6,138 5,868 5,419 5,711 5,771 5,500 5,227 5,091 4,886	5.2 5.4 5.9 5.6 6.1 5.7 5.6 6.1 5.8 5.9	3.8 3.5 3.3 3.5 3.7 3.4 3.2 3.7 3.4 3.1	11.8 12.3 12.2 12.5 12.9 12.9 13.2 12.6 12.2 12.3	3,065 2,840 2,561 2,436 2,625 2,694 2,734 2,411 2,395 2,326	15.5 15.4 15.5 15.6 15.1 16.1 16.8 14.8 16.6	11.0 11.4 10.8 12.2 12.3 12.2 11.9 12.2 11.9 11.3	4,599 4,298 3,999 3,500 3,567 3,671 2,943 3,419 3,325 3,462	18.3 17.0 18.7 20.7 18.8 18.3 17.4 15.0 15.4 17.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 25 Run Date: 5 / 17 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ight and \	Veight			Ane	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	lb/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	3,467 3,673 3,735 3,506 2,213 2,273 1,615 1,869 1,732 1,601	6.0 8.2 6.8 7.0 6.0 5.8 6.3 5.2 5.7	8.7 8.0 7.9 8.1 8.7 9.3 9.0 10.1 9.6 9.7	17,684 17,219 16,622 16,018 10,544 10,092 9,671 8,395 7,627 7,015	4.5 4.7 4.8 4.7 4.4 4.5 4.7 4.8 4.6 4.8	1.9 2.0 2.1 1.8 1.8 1.4 1.3 1.6 1.6	18.1 18.5 17.9 18.0 18.8 19.1 18.7 18.5 17.7	8,765 8,121 7,630 7,370 5,029 4,892 4,901 3,944 3,555 3,233	19.3 19.2 19.1 19.6 18.7 18.9 20.2 17.6 18.1 17.8	20.3 20.7 20.3 19.3 20.5 20.7 19.4 19.9 18.4 17.5	13,302 12,689 12,086 10,782 6,914 6,960 5,328 5,796 5,361 5,140	7.3 7.5 8.4 9.6 10.6 11.8 10.6 9.8 9.6
American Indian/Alaska Native	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	70 70 65 17 117 114 81 110 84	* * 8.5 4.4 * 4.5 *	12.0 7.9 * 15.5	313 281 245 35 467 443 354 382 357 357	5.8 5.3 2.4 * 3.6 4.5 5.1 5.0 5.3 2.8	0.6 1.8 3.3 * 2.8 2.0 2.0 2.4 2.5 2.2	18.2 21.7 15.9 * 17.8 22.3 17.2 12.6 12.0 16.8	139 126 103 12 201 190 138 166 157 153	33.1 21.4 20.4 * 17.4 15.8 26.1 21.7 16.6 18.3	17.3 15.9 17.5 * 15.9 20.5 13.8 13.9 12.1 20.9	218 197 174 20 288 273 173 230 232 256	4.6 8.1 10.9 * 8.7 19.0 18.5 14.8 12.1 15.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 5 / 17 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th	Number	%
Asian/Pacific Islander	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	272 264 243 246 289 361 327 334 289 322	6.3 8.7 9.9 12.2 12.1 5.3 9.2 8.1 7.3 9.6	2.9 3.8 3.7 3.3 3.8 4.7 4.3 3.3 3.1 5.0	1,166 1,028 982 929 1,278 1,331 1,450 1,167 1,109 1,138	7.5 7.7 7.0 7.5 8.8 7.3 7.8 7.2 6.2 7.6	3.8 3.7 4.3 3.8 4.2 3.9 3.7 3.4 3.6 3.3	9.8 11.4 11.8 10.5 9.6 11.1 10.4 9.8 10.1 10.0	517 454 406 396 543 552 600 464 449 454	13.2 13.0 10.8 11.4 12.9 14.3 15.2 14.0 14.0	10.8 11.7 14.0 10.9 7.4 11.4 11.0 12.1 10.0 10.4	807 706 655 607 811 843 730 723 694 763	10.4 11.2 10.8 11.7 13.4 15.2 14.9 12.0 13.5 14.3
Multiple Races	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	921 876 865 779 0 0 0 0	9.9 7.6 7.9 11.2 *	5.9 9.0 8.2 5.5 * *	3,956 3,713 3,483 2,720 0 0 0 0	6.1 6.0 5.9 5.6 *	2.6 2.3 2.7 3.1 * *	14.9 15.4 14.0 14.1 * *	1,748 1,588 1,463 1,109 0 0 0 0 0	17.7 17.2 17.8 17.0 *	16.5 15.5 15.7 13.2 *	2,770 2,547 2,310 1,616 0 0 0 0 0	9.4 10.2 11.9 12.4 *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 27 Run Date: 5 / 17 / 10

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ight and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low Hb/Hct (7)	
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th - <95th	% <u>&gt;</u> 95th	Number	%
All Other/Unknown	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	415 486 494 634 0 0 0 0	5.3 5.1 5.9 7.1 *	8.9 9.9 9.7 9.1 * *	442 511 517 1,726 0 0 0 0	9.0 7.0 7.7 6.0 * *	4.8 2.7 4.3 3.2 * *	10.2 9.0 10.1 14.9 * *	10 7 8 204 0 0 0 0	25.0 * * * * *	* * * * 16.7 * * * * * *	37 32 37 573 0 0 0 0	* * 9.6 * * * *
Total All Race/Ethnic Groups	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	18,130 18,189 18,272 17,935 15,219 16,135 12,891 15,090 14,851 14,702	8.2 8.5 8.1 8.8 8.1 7.8 7.5 8.1 7.9 7.8	8.1 7.9 8.1 7.7 8.2 8.1 8.7 9.1 9.3 9.6	79,717 76,257 73,138 70,491 65,022 65,753 68,032 62,631 60,806 59,612	5.5 5.6 5.6 5.8 5.7 5.8 5.9 5.6 5.4	2.8 2.8 3.0 2.8 2.5 2.5 2.7 2.9 2.8	14.1 14.5 13.9 13.9 14.1 14.3 14.1 13.5 13.2 12.5	36,225 33,548 31,071 30,161 29,114 29,971 32,913 28,074 27,027 26,439	17.5 17.5 17.5 17.9 17.1 17.5 17.7 16.7 16.8 16.4	15.0 15.1 14.9 14.6 14.2 14.6 13.9 13.6 13.2 12.3	56,001 52,672 49,377 43,572 40,151 42,789 35,173 41,587 40,550 42,278	8.0 8.1 8.9 9.4 9.7 10.2 10.0 8.8 9.0 9.1



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:

28

5 / 17 / 10

Iowa

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	11,714 11,577 11,518 0 11,320 11,914 9,848 11,551 11,587 11,562	53.7 59.7 57.1 * 55.3 53.9 54.4 53.5 53.3 51.5	9,651 9,498 9,292 0 7,373 7,914 5,482 7,507 7,892 8,044	16.2 18.1 16.9 * 21.1 21.6 22.9 21.5 20.8 19.8	7,897 7,717 7,309 0 6,165 7,112 5,439 6,747 6,796 6,513	9.9 9.6 9.2 * 14.5 15.1 16.0 15.7 15.4 13.8
Black, Not Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	1,455 1,402 1,451 0 1,306 1,499 1,044 1,238 1,194 1,151	48.1 48.1 46.5 * 46.7 45.3 43.5 46.9 44.4 42.6	1,069 1,085 1,099 0 734 793 480 701 706 709	15.1 17.2 17.2 * 17.0 17.5 20.2 15.8 16.9 17.1	1,006 938 923 0 816 818 622 732 735 671	9.1 11.9 10.5 * 11.2 10.5 13.2 11.2 11.0 11.8



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:

5 / 17 / 10

Iowa

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity <sup>(3)</sup>	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	3,543 3,730 3,795 0 2,218 2,279 1,613 1,878 1,735 1,604	68.7 73.5 72.7 * 76.0 76.7 74.6 75.5 73.4 71.3	2,999 2,993 2,999 0 1,501 1,496 972 1,196 1,253 1,198	27.2 28.7 32.1 * 39.1 39.3 37.3 33.9 32.1	2,831 2,821 2,535 0 1,457 1,478 1,122 1,235 1,137 1,067	17.0 18.1 17.4 * 27.3 25.7 28.3 25.3 23.9 19.8
American Indian/Alaska Native	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	72 74 65 0 120 114 81 114 84	55.8 59.6 * 43.9	54 46 39 0 54 73 47 71 56	* * * * * * * * *	46 43 31 0 63 60 60 42 53 57	* * * * * * * * *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:

30

5 / 17 / 10

Iowa

S	summary of Tren	nds in Breastfeeding Indicators by Race/Ethnicity (3)								
Race/Ethnicity and Year				Brea	astfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months			
Asian/Pacific Islander	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	277 266 243 0 288 363 327 336 288 323	64.3 68.0 65.4 * 62.2 66.9 63.3 56.0 57.3 51.1	220 179 186 0 194 220 163 165 196 191	27.7 27.9 29.6 * 34.0 38.6 39.9 27.3 23.5 23.6	210 147 165 0 181 212 207 171 170 159	17.6 18.4 15.8 * 23.8 23.6 19.3 19.9 17.6 15.7			
Multiple Races	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	937 880 865 0 0 0 0 0	50.4 55.7 54.1 * * *	729 702 705 0 0 0 0 0	9.6 12.4 13.2 * * *	646 600 569 0 0 0 0 0	5.0 5.5 5.3 * * * * *			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:

31

5 / 17 / 10

Iowa

Sum	nmary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	631 643 672 0 0 0 0 0	47.2 49.1 49.0 * * *	149 130 124 0 0 0 0 0 0	13.4 10.0 16.1 * * * *	12 7 9 0 0 0 0 0	* * * * * * * * *
Total All Race/Ethnic Groups	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	18,629 18,572 18,609 0 15,252 16,169 12,913 15,117 14,888 14,721	55.9 61.2 59.1 * 57.7 56.7 56.3 55.7 55.0 52.9	14,871 14,633 14,444 0 9,856 10,496 7,144 9,640 10,103 10,198	18.1 20.0 20.1 * 23.8 24.1 25.3 23.2 22.2 21.1	12,648 12,273 11,541 0 8,682 9,680 7,450 8,927 8,891 8,467	11.3 11.7 11.0 * 16.5 16.5 17.7 16.8 16.2 14.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 32 Run Date: 5 / 17 / 10

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																	
Age and Year *	Height and Weight					Height and Weight Age a					Height and Weight						
	Short Under- Obese Stature weight (4) (5) (5) (5) ≥ 2 Yrs Overweight (5)						Short Stature (4)	Under- weight (5)	Obese (5)	(	≥ 2 Yrs Overweight (5)						
	Number	% <5th	% <5th	% _>95th	Number	% 85th-<95th	% ≥95th				Number	% <5th	% <5th	% <u>&gt;</u> 95th	Number	% 85th-<95th	% <u>&gt;</u> 95th
0 - 11 Months									24 - 35 Months								
2009 2008	27,445 27,335	7.9 8.0	4.0 4.2	11.2 11.5	0 0	*	*			009	13,619 12,781	3.8 3.6	2.4 2.3	13.2 13.4	13,619 12,781	17.2 16.7	13.2 13.4
2007	27,515	7.9	4.4	10.8	0	*	*		20	007	11,564	3.8	2.2	13.4	11,564	17.1	13.4
2006	27,206	7.9	4.0	11.2	0	*	*			006	11,166	4.1	2.2	12.7	11,166	17.4	12.7
2005	23,088	8.1	3.7	12.2	0	*	*		·	005	10,771	4.0	2.5	12.3	10,771	16.8	12.3
2004	22,696	8.3	3.3	11.9	0	*	*		·	004	11,045	4.5	2.4	13.2	11,045	16.7	13.2
2003	20,612	8.0	3.1	12.3	0	*	*		· ·	003	12,747	4.7	2.4	12.5	12,747	17.1	12.5
2002	22,203	8.4	3.3	11.6	0	*	*		· ·	002	10,451	4.5	2.6	11.9	10,451	16.4	11.9
2001 2000	21,886 21,661	7.7 7.4	3.5 3.3	11.6 11.1	0 0	*	*		·	001	10,118 9,786	4.0 3.4	2.7 3.0	11.6 11.0	10,118 9,786	15.7 15.3	11.6 11.0
12 - 23 Months									36 - 47 Months								
2009	16,047	5.8	1.8	17.2	0	*	*		20	009	11,870	3.7	2.3	15.7	11,870	17.2	15.7
2008	15,374	5.5	1.6	18.5	0	*	*		20	800	10,770	4.2	2.4	15.9	10,770	17.5	15.9
2007	14,552	5.3	1.9	17.8	0	*	*		20	007	10,070	3.8	2.3	15.5	10,070	17.6	15.5
2006	13,124	5.5	1.9	18.0	0	*	*		20	006	9,766	4.2	2.2	15.1	9,766	17.8	15.1
2005	12,820	5.3	2.0	17.1	0	*	*		!	005	9,641	4.2	2.9	15.2	9,641	16.3	15.2
2004	13,086	5.0	1.7	17.9	0	*	*			004	9,796	4.2	2.5	15.0	9,796	17.4	15.0
2003	14,507	5.4	2.1	17.2	0	*	*		·	003	11,203	4.7	2.3	14.4	11,203	17.7	14.4
2002	12,354	5.2	2.0	16.6	0	*	*		ł	002	9,273	4.6	2.7	14.0	9,273	16.8	14.0
2001	11,893	4.8	2.0	16.1	0	*	*		· ·	001	8,843	4.4	2.9	13.6	8,843	17.4	13.6
2000	11,512	4.9	2.1	15.9	0	*	*		20	000	8,647	4.6	2.8	12.6	8,647	16.8	12.6

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.


Page: 33 Run Date: 5 / 17 / 10

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Summary of Trends in 0											
Age and Year *			Heigh	nt and V	Veight						
		Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)					
	Number	%	%	%	Number	%	%				
		<5th	<5th	_>95th		85th-<95th	≥95th				
48 - 59 Months											
2009	10,736	3.3	2.1	16.6	10,736	18.0	16.6				
2008	9,997	3.1	1.9	16.4	9,997	18.5	16.4				
2007	9,437	3.8	2.3	16.0	9,437	17.9	16.0				
2006	9,229	3.8	2.1	16.3	9,229	18.5	16.3				
2005	8,702	3.8	2.3	15.5	8,702	18.2	15.5				
2004	9,130	3.9	2.1	15.9	9,130	18.6	15.9				
2003	8,963	4.0	2.4	15.4	8,963	18.6	15.4				
2002	8,350	3.9	2.7	15.4	8,350	17.2	15.4				
2001	8,066	4.3	2.6	14.8	8,066	17.7	14.8				
2000	8,006	4.3	2.5	13.6	8,006	17.3	13.6				
Total All Age Groups											
2009	79,717	5.5	2.8	14.1	36,225	17.5	15.0				
2008	76,257	5.6	2.8	14.5	33,548	17.5	15.1				
2007	73,138	5.6	3.0	13.9	31,071	17.5	14.9				
2006	70,491	5.8	2.8	13.9	30,161	17.9	14.6				
2005	65,022	5.7	2.8	14.1	29,114	17.1	14.2				
2004	65,753	5.8	2.5	14.3	29,971	17.5	14.6				
2003	68,032	5.8	2.5	14.1	32,913	17.7	13.9				
2002	62,631	5.9	2.7	13.5	28,074	16.7	13.6				
2001	60,806	5.6	2.9	13.2	27,027	16.8	13.2				
2000	59,612	5.4	2.8	12.5	26,439	16.4	12.3				

Growth Indicators by Age (3)											
Age and Year * Height and Wei							Veight				
			Short Stature (4)	Under- weight (5)	Obese (5)	(	≥ 2 Yrs Overweight (5)				
		Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% <u>&gt;</u> 95th			

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

Page: 34

Run Date: 5 / 17 / 10

### Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

		Summ	ary of Tr	ds in Anemia by Ag	je <sup>(3)</sup>		
Age and Year		Aner Low Hb	nia /Hct (4)	Age and Year		Anem Low Hb	nia /Hct (4)
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2009	5,539	12.6	1.0 20	2009	6,332	9.3
	2008	5,285	12.4	İ	2008	6,326	8.6
	2007	5,428	13.3		2007	5,668	9.6
	2006	5,322	13.3		2006	4,519	11.4
	2005	4,249	12.2		2005	4,594	11.0
	2004	4,478	13.4		2004	4,813	11.4
	2003	4,552	11.5		2003	4,504	11.0
	2002	6,406	10.2		2002	4,704	9.7
	2001	6,351	12.2		2001	4,246	10.5
	2000	8,938	11.8		2000	5,462	9.6
12 - 17 Months				24 - 35 Months			
	2009	11,237	9.5		2009	12,717	8.7
	2008	10,811	10.1		2008	11,836	8.9
	2007	10,240	11.3		2007	10,790	9.2
	2006	8,070	11.8		2006	9,737	10.0
	2005	7,456	12.9		2005	9,054	10.6
	2004	7,868	13.5		2004	9,777	11.2
	2003	6,081	11.9		2003	7,816	11.8
	2002	6,758	11.1		2002	8,995	10.3
	2001	6,649	10.5		2001	9,403	9.8
	2000	6,118	11.1		2000	8,132	10.1



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 5 / 17 / 10

35

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

		Summa	ary of Ti	ds in Anemia by Age <sup>(3)</sup>		
Age and Year		Anem Low Hb/	-	Age and Year	Anem Low Hb	nia /Hct (4)
		Number	%		Number	%
36 - 59 Months	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	20,176 18,414 17,251 15,924 14,798 15,853 12,220 14,724 13,901 13,628	5.1 5.0 5.8 6.1 6.4 6.7 6.9 5.9 5.8	Total All Age Groups  2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	56,001 52,672 49,377 43,572 40,151 42,789 35,173 41,587 40,550 42,278	8.0 8.1 8.9 9.4 9.7 10.2 10.0 8.8 9.0 9.1
All Other/Unknown	2009 2008 2007 2006 2005 2004 2003 2002 2001 2000	0 0 0 0 0 0 0	* * * * * * * * * *			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.